Technical specifications

PP-S60009-2P1T

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - BLACK COLOR - 2 TRAYS 1 DRAWER



WEIGHT - ECO-PERFORMANCE

Weight bare structure	12 kg
Total Weight - Pack	17,5 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Top tray plastic ABS PMMA with 30 mm edge
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2

OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

PP-S60009-3P1T

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - BLACK COLOR - 3 TRAYS 1 DRAWER

WEIGHT - ECO-PERFORMANCE

Weight bare structure	12 kg
Total Weight - Pack	18 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Top tray plastic ABS PMMA with 30 mm edge
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2



OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

PP-S60009-3P1TV1

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - BLACK COLOR - 3 TRAYS 1 TOXIC DRAWER

WEIGHT - ECO-PERFORMANCE

Weight bare structure	12 kg
Total Weight - Pack	20 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Top tray plastic ABS PMMA with 30 mm edge
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2



OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

PP-S60009-FV1

TREATMENT CART - STOCKALLI M3 - F600 9G - TO BE EQUIPPED V1



9G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	18 kg
Total Weight - Pack	43,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	79 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides and Back in vegetable fibers - Thickness 6 mm
Top	Top tray plastic ABS PMMA with 30 mm edge
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

PP-S60009-FV2

TREATMENT CART - STOCKALLI M3 - F600 9G - TO BE EQUIPPED V2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	18 kg
Total Weight - Pack	40 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	79 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides and Back in vegetable fibers - Thickness 6 mm
Top	Top tray plastic ABS PMMA with 30 mm edge
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0



OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

PP-S60009-V1

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - EQUIPPED V1



WEIGHT - ECO-PERFORMANCE

Weight bare structure	12 kg
Total Weight - Pack	38,5 kg

DIMENSIONS

Width	79 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Top tray plastic ABS PMMA with 30 mm edge
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2

OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

PP-S60009-V4

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - 2 TRAYS 2 DRAWERS - EQUIPPED V4



WEIGHT - ECO-PERFORMANCE

Weight bare structure	12 kg
Total Weight - Pack	30,8 kg

DIMENSIONS

Width	74 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Top tray plastic ABS PMMA with 30 mm edge
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2

OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

MO-S60009-F

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - WITH BLACK FACINGS AND RAILS - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	18 kg
Plant-based pourcentage (on total weight)	60%%
Percentage of recycled material	25%%

DIMENSIONS

Width	79 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides and Back in vegetable fibers - Thickness 6 mm
Top	Top tray plastic ABS PMMA with 30 mm edge
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

9G



OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable

Technical specifications

MO-S60009-V1

DRESSING TROLLEY - STOCKALLI M3 - F600 9G - WITH RAILS AND HANDLE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	12 kg
Total Weight - Pack	13,6 kg

DIMENSIONS

Width	79 cm
Depth	46 cm
Height tray	100 cm
Front	F600
Height	102 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Top tray plastic ABS PMMA with 30 mm edge
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	50 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	9
Sliders: ABS tray height 50 mm	12
Sliders: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2

9G



OUR EXCLUSIVES

EASY CLEAN®

EASY CLIP®

HIGHLIGHTS

- P20
- Configurable