Technical specifications

PP-L60015-V1

CABINET - LOGISTALLI M3 - F600 15G - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	42,7 kg
Total Weight - Pack	67,3 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	72,8 cm
Depth	58,6 cm
Height tray	157,3 cm
Front	F600
Height	160,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	15G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	15
Mixed springers: ABS tray height 50 mm	14
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	15
BJMM spinrgers: ABS tray height 50 mm	19
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	19

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



15G

OUR EXCLUSIVES

EASY MOV' ® · SOFT SOUND ® · EASY CLIP ® · NO KEY CONCEPT ®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN

Technical specifications

PP-L60020-V1

CABINET - LOGISTALLI M3 - F600 20G - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	52,5 kg
Total Weight - Pack	69,17 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	69,8 cm
Depth	56,8 cm
Front	F600
Height	196 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	20G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	20
Mixed springers: ABS tray height 50 mm	19
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	20
BJMM spinrgers: ABS tray height 50 mm	26
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	26

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



20G

OUR EXCLUSIVES

EASY MOV'® · SOFT SOUND® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN

Technical specifications

PP-L60020-V2

CABINET - LOGISTALLI M3 - F600 20G - EQUIPPED V2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	52,5 kg
Total Weight - Pack	75 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	69,8 cm
Depth	56,8 cm
Front	F600
Height	196 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	20G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	20
Mixed springers: ABS tray height 50 mm	19
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	20
BJMM spinrgers: ABS tray height 50 mm	26
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	26

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



20G

OUR EXCLUSIVES

EASY MOV'® · SOFT SOUND® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN

Technical specifications

MO-L60015

CABINET - LOGISTALLI M3 - F600 15G - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	42,7 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	72,8 cm
Depth	58,6 cm
Height tray	157,3 cm
Front	F600
Height	160,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	15G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	15
Mixed springers: ABS tray height 50 mm	14
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	15
BJMM spinrgers: ABS tray height 50 mm	19
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	19

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



15G

OUR EXCLUSIVES

EASY MOV' ® · SOFT SOUND ® · EASY CLIP ® · NO KEY CONCEPT ®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN

Technical specifications

MO-L60015-CODE

CABINET - LOGISTALLI M3 - F600 15G - WITH KEYPAD LOCK - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	43 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	72,8 cm
Depth	58,6 cm
Height tray	157,3 cm
Front	F600
Height	160,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	15G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	15
Mixed springers: ABS tray height 50 mm	14
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	15
BJMM spinrgers: ABS tray height 50 mm	19
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	19

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



15G

OUR EXCLUSIVES

EASY MOV' ® · SOFT SOUND ® · EASY CLIP ® · NO KEY CONCEPT ®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN

Technical specifications

MO-L60018

CABINET - LOGISTALLI M3 - F600 18G - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	51,9 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	69,8 cm
Depth	56,8 cm
Front	F600
Height	181 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from selection

CAPACITY

Slides number (G height)	18
Typ of springers	Mixed as standard and BJMM as option
Mixed springers: Drawer height 75 mm	18
Mixed springers: ABS tray height 50 mm	17
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	18
BJMM spinrgers: ABS tray height 50 mm	23
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	23

FIRE CLASSIFICATION

Vegetable fibers	D-s2d2

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



18G

OUR EXCLUSIVES

EASY MOV' ® · SOFT SOUND ® · EASY CLIP ® · NO KEY CONCEPT ®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN

Technical specifications

MO-L60020

CABINET - LOGISTALLI M3 - F600 20G - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	52,5 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	69,8 cm
Depth	56,8 cm
Front	F600
Height	196 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Box	Vegetable fibers
Front	Roller shutter : white PP
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	150 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	20G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	20
Mixed springers: ABS tray height 50 mm	19
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	20
BJMM spinrgers: ABS tray height 50 mm	26
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	26

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



20G

OUR EXCLUSIVES

EASY MOV' ® · SOFT SOUND ® · EASY CLIP ® · NO KEY CONCEPT ®

HIGHLIGHTS

- Curtain
- P60
- Easy CLEAN