Technical specifications

PP-RY1600RV3

STORAGE CABINET F600 - CONSUMABLES/CONSUMABLES



WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg
Total Weight - Pack	44 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	21G
Mixed springers: Drawer height 75 mm	21
Mixed springers: ABS tray height 50 mm	28
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-RY2600RV3

DOUBLE STORAGE CABINET F600 - CONSUMABLES/CONSUMABLES

WEIGHT - ECO-PERFORMANCE

Weight bare structure	44 kg
Total Weight - Pack	92 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Top cover
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	6 swivel wheels with 3 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	2 x 21G
Mixed springers: Drawer height 75 mm	42
Mixed springers: ABS tray height 50 mm	56
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2



OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S10021-V1

STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	52 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	F1200
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-RV1

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	40,8 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-RV2

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F400 21G - 30/60 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	39,7 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-RV3

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	36,4 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-V1

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH ABS LOWKET TRAY - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	26,8 kg
Total Weight - Pack	44,4 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S42021-RV1

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,4 kg
Total Weight - Pack	79,5 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S42021-RV2

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - 30/60 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,4 kg
Total Weight - Pack	76,1 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S42021-RV3

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,4 kg
Total Weight - Pack	70,6 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-RV1

STORAGE CABINET - STOCKALLI M3 - F600 21G - EQUIPPED RV1



21 G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	41,1 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-RV2

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 28 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	33,2 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-RV3

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 30/60 SPECIALITIES - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	39,7 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-TV1

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 10/20 SPECIALITIES - EQUIPPED TV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,4 kg
Total Weight - Pack	52,5 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-TV2

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 10/20 SPECIALITIES - EQUIPPED TV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,4 kg
Total Weight - Pack	48,6 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-V1

STORAGE CABINET - STOCKALLI M3 - F600 21G - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg
Total Weight - Pack	37,8 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-V2

STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH ABS LOWKET TRAY - EQUIPPED V2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	24,8 kg
Total Weight - Pack	42,4 kg

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-RV1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,5 kg
Total Weight - Pack	76,6 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-RV2

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 56 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,5 kg
Total Weight - Pack	62,2 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-RV3

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 60/120 SPECIALITIES - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,5 kg
Total Weight - Pack	77,3 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-TV1

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 20/40 SPECIALITIES - EQUIPPED TV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	63,6 kg
Total Weight - Pack	97,7 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-TV2

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 20/40 SPECIALITIES - EQUIPPED TV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	63,6 kg
Total Weight - Pack	90 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-V1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH ABS LOWKET TRAY - EQUIPPED V1



21 G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	42,8 kg
Total Weight - Pack	77,9 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-RY1400R

STOCK'ALLI CABINET F400 - VOLCANIC BLACK - WITHOUT SLIDE

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-RY1600R

STOCK'ALLI CABINET F600 - VOLCANIC BLACK - WITHOUT RUNNER

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29



OUR EXCLUSIVES

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S10021

STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE



WEIGHT - ECO-PERFORMANCE

Weight bare structure	64 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	F1200
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

FIRE CLASSIFICATION

Vegetable fibers	D-s2d0

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S10021-MIXTE

MIXED STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE

WEIGHT - ECO-PERFORMANCE

Weight bare structure	49,5 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	18
Sliders: ABS tray height 50 mm	24
Sliders: Shelf for Daily pillboxes medium model height 50 mm	24

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S40021

STORAGE CABINET - STOCKALLI M3 - F400 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S40021-V1

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	26,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S40021-V2

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,1 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S42021

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	38 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S42021-V1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	44,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S42021-V2

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	61,2 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S60021

STORAGE CABINET - STOCKALLI M3 - F600 21G - TO BE EQUIPPED



21 G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S60021-V1

STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	24,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S60021-V2

STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,4 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

21G



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S62021

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	38 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S62021-V1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	42,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S62021-V2

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	63,6 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space