Technical specifications

4000-00046

MATTRESS + COVER - COMFORT - SLEEPING 20 X 100 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	1,7 kg

DIMENSIONS

Length	20 cm
Width	100 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	40 to 130 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

020 | 100 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

4000-00053

MATTRESS + COVER - COMFORT - SLEEPING 20 X 120 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	1,9 kg

DIMENSIONS

Length	20 cm
Width	120 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	40 to 130 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

020 | 120 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

4000-00054

MATTRESS + COVER - COMFORT - SLEEPING 20 X 140 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	2,2 kg

DIMENSIONS

Length	20 cm
Width	140 cm
Height	17 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	CatÃ©gorie 0

SAFETY CHARGE

Maximum patient weight	40 to 130 kg


REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

020 | 140 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics


CE

Technical specifications

411020

MATTRESS + COVER - COMFORT - SLEEPING 190 X 90 CM - RIGHT ANGLES

190 | 090 | HR



WEIGHT - ECO-PERFORMANCE

Weight	10,8 kg

DIMENSIONS

Length	190 cm
Width	90 cm
Height	12 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	40 - 120 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00008

MATTRESS + COVER - COMFORT - SLEEPING 160 X 80 CM - FOR BAMBINO BED

WEIGHT - ECO-PERFORMANCE

Weight	8,5 kg

DIMENSIONS

Length	158 cm
Width	78 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	? kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 et NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00008-C

MATTRESS + COVER - COMFORT - SLEEPING 160 X 80 CM - FOR BAMBINO BED - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	8,5 kg

DIMENSIONS

Length	158 cm
Width	78 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	? kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

160 | 080 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00029

MATTRESS + COVER - EARLY INFANCE - SLEEPING 120 X 60 CM - FOR COT

WEIGHT - ECO-PERFORMANCE

Weight	2,85 kg

DIMENSIONS

Length	120 cm
Width	60 cm
Height	6 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
HR foam lift	3 kPa
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Mattress for child
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

120 | 060 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00030

MATTRESS + COVER - BABY CRIB - SLEEPING 150 X 60 CM - FOR BABY BED-XS

WEIGHT - ECO-PERFORMANCE

Weight	3,57 kg

DIMENSIONS

Length	150 cm
Width	60 cm
Height	6 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
HR foam lift	3 kPa
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Mattress for child
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

150 | 060 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00035

MATTRESS + COVER - BABY CRIB - SLEEPING 130 X 60 CM - FOR BABY BED-XS

WEIGHT - ECO-PERFORMANCE

Weight	3,09 kg

DIMENSIONS

Length	130 cm
Width	60 cm
Height	6 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
HR foam lift	3 kPa
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Mattress for child
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4721-50001

MATTRESS + COVER - SLEEPING 80 X 35 CM - FOR RECLINING BABY

WEIGHT - ECO-PERFORMANCE

Weight	0,4 kg

DIMENSIONS

Length	72 cm
Width	32 cm
Height	5 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	60 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Baby crib mattress
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

080 | 035 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics


CE

Technical specifications

AC-LX-M207-A-Y4

MATTRESS + COVER - COMFORT - SLEEPING 200 X 90 CM - TRUNCATED ANGLES

200 | 090 | HR



WEIGHT - ECO-PERFORMANCE

Weight	8,3 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-A-Y4-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 90 CM - TRUNCATED ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	8,3 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-Y4

MATTRESS + COVER - COMFORT - SLEEPING 190 X 90 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	10,8 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-Y4-C

MATTRESS + COVER - COMFORT - SLEEPING 190 X 90 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	10,8 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M217

MATTRESS + COVER - COMFORT - SLEEPING 200 X 100 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	9,2 kg

DIMENSIONS

Length	198 cm
Width	100 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 100 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M217-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 100 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	9,2 kg

DIMENSIONS

Length	198 cm
Width	100 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 100 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M227

MATTRESS + COVER - COMFORT - SLEEPING 200 X 110 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	10,1 kg

DIMENSIONS

Length	198 cm
Width	110 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 110 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M227-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 110 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	10,1 kg

DIMENSIONS

Length	198 cm
Width	110 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 110 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M237

MATTRESS + COVER - COMFORT - SLEEPING 200 X 120 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	11 kg

DIMENSIONS

Length	198 cm
Width	120 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 120 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M237-C

MATTRESS + COVER - COMFORT- SLEEPING 200 X 120 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	11 kg

DIMENSIONS

Length	198 cm
Width	120 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 120 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M247

MATTRESS + COVER - COMFORT - SLEEPING 200 X 140 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	12,9 kg

DIMENSIONS

Length	198 cm
Width	140 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 140 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M247-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 140 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	12,9 kg

DIMENSIONS

Length	198 cm
Width	140 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 140 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M299-Y4

MATTRESS + COVER - VISCOELASTIC - FOR KIT XL COMFORT - 200 X 110 X 14 CM

WEIGHT - ECO-PERFORMANCE

Weight	22,5 kg

DIMENSIONS

Length	198 cm
Width	110 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane and Viscoelastic
Foam HR density	35 kg/m3
Viscoelastic foam density	86 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Bedsore prevention
Class Mattress	Class 2 - Moderate to high risk

SAFETY CHARGE

Maximum patient weight	35 to 150 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 110 | VI



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M305-Y4

MATTRESS + COVER - COMFORT - SLEEPING 20 X 90 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	1,5 kg

DIMENSIONS

Length	20 cm
Width	88 cm
Height	17 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 1 - Low to moderate risk

SAFETY CHARGE

Maximum patient weight	90 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

020 | 090 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M917

MATTRESS COMPLEMENT WITH COVER - COMFORT - SLEEPING 200 X 10 CM

WEIGHT - ECO-PERFORMANCE

Weight	1,3 kg

DIMENSIONS

Length	198 cm
Width	10 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE


Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 1 side - 3 Velcro strips for attachment to the mattress



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M927

70 / 5000 MATTRESS COMPLEMENT WITH COVER - COMFORT - 2 X SLEEPING 200 X 10 CM

WEIGHT - ECO-PERFORMANCE

Weight	2,6 kg

DIMENSIONS

Length	198 cm
Width	10 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE


Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 1 side - 3 Velcro strips for attachment to the mattress



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE