NURSING HOME



MATTRESSES COMFORT (HR FOAM) - MAT0 (CLASSIC)

Medical room - Long stay

greenly 2024 Or Climate Strategy Rating TOP 5%

MKT-26-PO-HEB-CHA-LS-STH-HR-EN 21/1/2026

Summary

HAcare, specialist in medical devices since 1860. 3

HAcare Group's eco-responsible commitments 4

Choose the circular economy 5

Recyclable materials 6

Certifications 7

Mattresses Nursing Home Long stay 8

Highlights

- Easy CLEAN (Easy CLEAN) 10
- Easy delivery and storage (Optimized logistics) 11

Characteristics

- Distinctive function(s) 13
- Configurable 14
- Lying surface 15

Technical specifications 16

Preventive maintenance tailored to your needs 42

The advantages of preventive maintenance 43

Our preventive maintenance services 44



HAcare, specialist in medical devices since 1860.

At HAcare, we design, manufacture and distribute medical devices and innovative, durable medical furniture solutions designed to improve the daily lives of patients and healthcare professionals alike.











The HAcare Group's eco-responsible commitments

The HAcare group commits to an **eco-responsible industrial orientation**

In its sustainable development strategy, the HAcare group has defined a list of **6 commitments** that guide its **actions and decisions** since the group's creation and for the years to come.

Indicators have been set up for each commitment.

Our 6 commitments

- Made in France production
- The use of renewable resources
- Integrating the circular economy into all new product developments
- Responsible purchasing (supplier quality monitoring)
- Daily actions to respect and protect the environment
- Combating RSI and noise pollution through our products

Choose the circular economy



HAcare finished products can be recycled through a recovery circuit at the end customer's premises, for recycling with our partner supplier. As wood cannot be recycled ad infinitum because its fibers become too small or exhausted, wood waste is recovered and transformed into green energy.



The plant fiber boards used in the manufacture of HAcare products are 100% reclaimed wood. Each HAcare finished product bears an index revealing the proportion of plant fiber contained.



Recycling is the practice of recovering used materials from the waste stream, then incorporating these same materials into the manufacturing process. Each HAcare finished product carries an index revealing the proportion of recycled material it contains.



Recyclable materials

HAcare finished products are 95% recyclable. For example, the HAcare medical bed is entirely recyclable, except for the wheels and motors. Each bed can be dismantled to recover each material separately: plant fiber, metal, plastic.

PLANT FIBER



Recycled wood


The plant fiber boards used in the manufacture of HAcare Group products are:

100% reused wood

Reuse is one of the environmentally friendly processes. It involves, for example, leftovers from wood-processing companies (e.g. sawmill scraps, production offcuts...). But also by-products from activities such as sustainable forest management and slope maintenance.

100% FSC-certified wood

Recyclable with a partner supplier who, on a worldwide exclusive basis and since 2021, recycles MDF and HDF panels.No water consumption, nor green energy **biomass**.



The metal

All metal components are **recyclable** and reusable, **infinitely**. Once the metal has been sorted, it is compressed, crushed, rolled and melted. It is then remolded into coils, bars or wire for reuse. This process can be endless!

Metal recycling has **many advantages**. It conserves natural resources by reducing the need for virgin materials, cuts energy consumption and reduces **greenhouse gas emissions**.



Recycled plastic

At recycling plants, waste (re) becomes a **raw material** through various processes: grinding, micronization, regeneration of plastics.

The recycled plastic will then be resold to **plasturgy** manufacturers in the form of **flakes**, powder or even **granules**.

Certifications



MANAGEMENT AND CUSTOMER SATISFACTION
ISO 9001

MEDICAL DEVICE
ISO 13485

GOLD | Top 5%
ecovadis
Sustainability Rating
JAN 2026

greenly
2024
Or
Climate Strategy Rating
TOP 5%

MATTRESSES NURSING HOME

Long stay

Comfort (HR Foam) - MAT0 (CLASSIC)





HIGHLIGHTS

Easy CLEAN (Easy CLEAN)



EASY CLEAN

Thought for the comfort of patients and the serenity of care teams, the EasyClean concept facilitates day-to-day maintenance. Thanks to its one-piece structure and integral cover zipped on three sides, easily removable, quick and easy manipulation is assured. Protected by covering flaps, the closures prevent any retention of dust or liquid. Thishygienic and functional design reduces cleaning time and ensures a healthy and safe environment for all.

HIGHLIGHTS

Easy delivery and storage (Optimized logistics)






Our mattresses can be delivered in two modes to adapt to your logistical constraints.Flat delivery, ready to use, it facilitatesimmediate commissioning and conventional storage.Or compressed delivery, which allows you to optimize space, reduce bulk and simplify transport, while retaining the quality of the mattress.These two solutions offer maximum flexibility, allowing you to choose the packaging best suited to your organization.



CHARACTERISTICS

CHARACTERISTICS

Distinctive function(s)




Anti bedsores

Sores form when the skin and underlying tissues experience prolonged pressure, shear or friction, often over bony areas. Pressure compresses tissues and can cause cell damage, shear displaces deep tissues and pinches vessels, and heat or moisture weaken the skin. Designed to limit these pressures, the comfort mattress offers stable support and soft welcome, improving the patient's comfort and well-being.Ideal for people bedridden less than 10 hours a day,mobilizing on their own without difficulty, it is suitable for low-risk patients requiring more than 8 daily position changes.

CHARACTERISTICS

Configurable




Dimensions

The mattress is offered in a large choice of dimensions to adapt to all beds and different patient morphologies. This variety ensures stable support and optimal comfort, while facilitating installation on different bed types. Each dimension is designed to promote the safety and well-being of the patient, while meeting the requirements of medical environments.



Corner shapes

The mattress fitsall beds on the market thanks to two angle options.The truncated angless are available to facilitate the installation of Lifting poles. The straight angles, offer a full surface for maximum comfortand guarantee optimal stability on the slatted base. This flexibility makes it possible to meet the different needs of patients and staff, while combining comfort and safety.




Mattress extension

The mattress extensionextends lying while maintaining the comfort and support characteristic of the mattress. It preservesthe even pressure distribution, anti-shear effect and ventilation that guarantee optimal well-being.Easy to install, it allows the patient to benefit from an extended lying surface without compromising the beneficial properties of the mattress, ensuring comfortable and durable support along the entire length of the bed.


CHARACTERISTICS

Lying surface



Cover

The integral cover, zipped on three sidesand equipped with protective flaps, facilitates mattress insertion and removal, as well as maintenance. Crafted in a waterproof, breathable 150 g/m² fabric, it promotes the evacuation of perspiration and body moisture, contributing topatient comfort. Machine washable and dryable, it is adapted to medical environments and meets safety requirements thanks to its M1 fire classification.



Mattresses

High-resilience polyurethane foam with a density of 35kg/m³, combines firmness durable and comfort. It effectively supports the patient,distributes pressure and withstands up to 120kg, even with prolonged use. Its open-cell structure promotes air circulation, limits moisture and improves hygiene. Adapted to different profiles, this foam guarantees stable, comfortable rest, offering well-being and security on a daily basis.

Technical specifications

4000-00046

MATTRESS + COVER - COMFORT - SLEEPING 20 X 100 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	1,7 kg

DIMENSIONS

Length	20 cm
Width	100 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	40 to 130 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

020 | 100 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

4000-00053

MATTRESS + COVER - COMFORT - SLEEPING 20 X 120 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	1,9 kg

DIMENSIONS

Length	20 cm
Width	120 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	40 to 130 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

020 | 120 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics


CE

Technical specifications

4000-00054

MATTRESS + COVER - COMFORT - SLEEPING 20 X 140 CM - FOR BED FRAME EXTENSION

020 | 140 | HR



WEIGHT - ECO-PERFORMANCE

Weight	2,2 kg

DIMENSIONS

Length	20 cm
Width	140 cm
Height	17 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	CatÃ©gorie 0

SAFETY CHARGE

Maximum patient weight	40 to 130 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

411020

MATTRESS + COVER - COMFORT - SLEEPING 190 X 90 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	10,8 kg

DIMENSIONS

Length	190 cm
Width	90 cm
Height	12 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	40 - 120 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

190 | 090 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00008

MATTRESS + COVER - COMFORT - SLEEPING 160 X 80 CM - FOR BAMBINO BED

WEIGHT - ECO-PERFORMANCE

Weight	8,5 kg

DIMENSIONS

Length	158 cm
Width	78 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	? kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 et NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00008-C

MATTRESS + COVER - COMFORT - SLEEPING 160 X 80 CM - FOR BAMBINO BED - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	8,5 kg

DIMENSIONS

Length	158 cm
Width	78 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	? kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

160 | 080 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00029

MATTRESS + COVER - EARLY INFANCE - SLEEPING 120 X 60 CM - FOR COT

WEIGHT - ECO-PERFORMANCE

Weight	2,85 kg

DIMENSIONS

Length	120 cm
Width	60 cm
Height	6 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
HR foam lift	3 kPa
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Mattress for child
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

120 | 060 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00030

MATTRESS + COVER - BABY CRIB - SLEEPING 150 X 60 CM - FOR BABY BED-XS

WEIGHT - ECO-PERFORMANCE

Weight	3,57 kg

DIMENSIONS

Length	150 cm
Width	60 cm
Height	6 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
HR foam lift	3 kPa
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Mattress for child
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

150 | 060 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4000-00035

MATTRESS + COVER - BABY CRIB - SLEEPING 130 X 60 CM - FOR BABY BED-XS

WEIGHT - ECO-PERFORMANCE

Weight	3,09 kg

DIMENSIONS

Length	130 cm
Width	60 cm
Height	6 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
HR foam lift	3 kPa
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Mattress for child
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-4721-50001

MATTRESS + COVER - SLEEPING 80 X 35 CM - FOR RECLINING BABY

WEIGHT - ECO-PERFORMANCE

Weight	0,4 kg

DIMENSIONS

Length	72 cm
Width	32 cm
Height	5 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	25 kg/m3
Material Cover	Polyvinyl chloride 15/100e
Mattress cover - Washing machine	60 Maxi T°C
Mattress cover -Drying machine	No T°C

TYPE

Type of mattress	Baby crib mattress
Class Mattress	Class 0 - Low risk

REGULATION

CE marking	CE

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

080 | 035 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-A-Y4

MATTRESS + COVER - COMFORT - SLEEPING 200 X 90 CM - TRUNCATED ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	8,3 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-A-Y4-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 90 CM - TRUNCATED ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	8,3 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-Y4

MATTRESS + COVER - COMFORT - SLEEPING 190 X 90 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	10,8 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M207-Y4-C

MATTRESS + COVER - COMFORT - SLEEPING 190 X 90 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	10,8 kg

DIMENSIONS

Length	198 cm
Width	88 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

REGULATION

CE marking	CE

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 090 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M217

MATTRESS + COVER - COMFORT - SLEEPING 200 X 100 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	9,2 kg

DIMENSIONS

Length	198 cm
Width	100 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 100 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M217-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 100 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	9,2 kg

DIMENSIONS

Length	198 cm
Width	100 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 100 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M227

MATTRESS + COVER - COMFORT - SLEEPING 200 X 110 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	10,1 kg

DIMENSIONS

Length	198 cm
Width	110 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 110 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M227-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 110 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	10,1 kg

DIMENSIONS

Length	198 cm
Width	110 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 110 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M237

MATTRESS + COVER - COMFORT - SLEEPING 200 X 120 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	11 kg

DIMENSIONS

Length	198 cm
Width	120 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 120 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M237-C

MATTRESS + COVER - COMFORT- SLEEPING 200 X 120 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	11 kg

DIMENSIONS

Length	198 cm
Width	120 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 120 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M247

MATTRESS + COVER - COMFORT - SLEEPING 200 X 140 CM - RIGHT ANGLES

WEIGHT - ECO-PERFORMANCE

Weight	12,9 kg

DIMENSIONS

Length	198 cm
Width	140 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 140 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M247-C

MATTRESS + COVER - COMFORT - SLEEPING 200 X 140 CM - RIGHT ANGLES - ROLLED

WEIGHT - ECO-PERFORMANCE

Weight	12,9 kg

DIMENSIONS

Length	198 cm
Width	140 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

SAFETY CHARGE

Maximum patient weight	120 kg

FIRE CLASSIFICATION


Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 140 | HR

COMPRESSÉ



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M299-Y4

MATTRESS + COVER - VISCOELASTIC - FOR KIT XL COMFORT - 200 X 110 X 14 CM

WEIGHT - ECO-PERFORMANCE

Weight	22,5 kg

DIMENSIONS

Length	198 cm
Width	110 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane and Viscoelastic
Foam HR density	35 kg/m3
Viscoelastic foam density	86 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	90 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Bedsore prevention
Class Mattress	Class 2 - Moderate to high risk

SAFETY CHARGE

Maximum patient weight	35 to 150 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

200 | 110 | VI



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M305-Y4

MATTRESS + COVER - COMFORT - SLEEPING 20 X 90 CM - FOR BED FRAME EXTENSION

WEIGHT - ECO-PERFORMANCE

Weight	1,5 kg

DIMENSIONS

Length	20 cm
Width	88 cm
Height	17 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
HR foam lift	3,4 kPa
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE

Type of mattress	Comfort
Class Mattress	Class 1 - Low to moderate risk

SAFETY CHARGE

Maximum patient weight	90 kg

REGULATION

CE marking	CE


FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1

ADDITIONAL INFORMATION

Comment	Zip cover on 3 sides

020 | 090 | HR



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M917

MATTRESS COMPLEMENT WITH COVER - COMFORT - SLEEPING 200 X 10 CM

WEIGHT - ECO-PERFORMANCE

Weight	1,3 kg

DIMENSIONS

Length	198 cm
Width	10 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE


Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 1 side - 3 Velcro strips for attachment to the mattress



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics

CE

Technical specifications

AC-LX-M927

70 / 5000 MATTRESS COMPLEMENT WITH COVER - COMFORT - 2 X SLEEPING 200 X 10 CM

WEIGHT - ECO-PERFORMANCE

Weight	2,6 kg

DIMENSIONS

Length	198 cm
Width	10 cm
Height	14 cm

MATERIAL & COATING

Material Foam	High Resilience Polyurethane
Foam HR density	35 kg/m3
Material Cover	Polyurethane coating on cotton jersey
Mattress cover - Washing machine	95 Maxi T°C
Mattress cover -Drying machine	60 Maxi T°C

TYPE


Type of mattress	Comfort
Class Mattress	Class 0 - Low risk

FIRE CLASSIFICATION

Foam	M4
Mattress cover	M1
Fire resistance test	NF EN 597-1 and NF EN 597-2

ADDITIONAL INFORMATION

Comment	Zip cover on 1 side - 3 Velcro strips for attachment to the mattress



HIGHLIGHTS

- Easy CLEAN
- Optimized logistics


CE

Preventive maintenance tailored to your needs

The maintenance of medical devices is not only a **technical obligation**, but also a **legal** and regulatory responsibility of the organisation.

It is based on:

- A clear policy
- Traceability procedures
- The use of compliant parts
- And staff training



The advantages of preventive maintenance

THE BENEFITS OF REGULAR MAINTENANCE OF YOUR EQUIPMENT

- Improved performance: maximum fleet availability.
- Improved quality: a reliable and continuous service.
- Lower costs: reduced repair costs.
- Fewer breakdowns: continuity guaranteed.

EXTEND THE LIFESPAN OF YOUR EQUIPMENT & ENSURE SAFETY

Our maintenance programmes are designed to:
- Ensure your equipment performs to its full potential.
- Provide regular checks and reliable diagnostics.
- Safeguard the safety of patients, residents and carers.
- Maintain your organisation’s regulatory compliance.

A BUDGET UNDER CONTROL

Our maintenance solutions help you to:
- Plan your expenditure.
- Avoid unexpected costs.
- Optimise your investments with complete transparency.

CERTIFIED COMPONENTS FOR SUSTAINABLE VIABILITY

All our services are carried out using original parts that have been tested and approved, guaranteeing:
- Maximum safety when using your equipment.
- Strict compliance with regulatory standards.
- The durability and reliability of your beds, mattresses and accessories.

Our preventive maintenance services



A SINGLE POINT OF CONTACT FOR A COMPREHENSIVE SOLUTION

From pre-sales to after-sales, we support you every step of the way.

Through a **detailed analysis** of your needs, we provide **tailored technical support**, based on a **long-term** and **effective** partnership.

EXPERTS AT YOUR SIDE

Our technicians and engineers, who receive regular training in the latest innovations, guarantee you:
- A responsive, high-quality service.
- Professional installation of your equipment.
- Comprehensive training for your teams, delivered directly on-site.

OUR TECHNICIANS CARRY OUT A FULL INSPECTION

- Mechanical inspection: assembly, joints, brakes, locking mechanisms.
- Electrical inspection: components, controls, sensors.
- Safety features: barriers, locking systems, protective devices.
- Lubrication: re-greasing of all pivot points.
- Electrical tests: carried out in accordance with current standards.

Each operation (inspection, adjustment, replacement) is recorded in the technician’s maintenance report.

RENOVATION OF THE PARK

Following the visit, our preventive maintenance team will email you the **maintenance report** completed for each piece of equipment.
The **service reports** are sent to your HAcare contact, who will draw up the necessary quotes for repairs or replacements.

This provides you with **comprehensive** and **transparent** tracking of the **maintenance** of your equipment fleet.

The result: a clear and traceable process that guarantees the safety, compliance and availability of your equipment. Translated with DeepL.com (free version)

CORONA MÉDICAL

ZAC de Fourquevaux, 100 avenue du Formans
01600 - TRÉVOUX, FRANCE

Tél +33 (0)4 74 08 71 71
export@hacare.com

Sales in the French Overseas Departments and Communities (DROM-COM)
f.milloux@hacare.com
06 25 83 86 00

MAD Export Department
homecare@hacare.com
+33 (0)3 90 29 61 60

Sales assistant
homecare@hacare.com
+33 (0)3 90 29 61 60

HAcare

MEDICAL

1860

MKT-26-PO-HEB-CHA-LS-STH-HR-EN 2026